



# **VALIDATED ECO-DECLARATION**

# PRODUCT SPECIFICATIONS

#### References

Colonial moulding (Ovolo): 305H, 305HP, 1000, 1000P, 1100P, 1150, 3050, 3050P, 3100P, 3150. Square moulding (Shaker): 804H, 804HP, 805H, 805HP, 6000, 6000P.

#### Final manufacturing location

Saint-Boniface, QC G0X 2L0 CANADA

#### Composition

Eastern white pine, decorative glass (with grill) or flat glass, HDF, adhesives (PVAc), white primer.

#### **ATTRIBUTES**

#### **Recycled Content**

Pre-consumer: (5.1% - 6.7%) Post-consumer: 0% (Variable according to the model)

#### Sourcing of raw materials

The extraction locations of raw materials have been documented for 91.5% to 96.5% of the final product components, based on weight ratio. (Variable depending on model)

**FSC® Certification** 

Rapidly renewable materials

**Biobased materials** 

# **ENVIRONMENTAL IMPACTS**

**Life Cycle Assessment** 

Product's carbon footprint

**Environmental Product Declaration** 

ISO 14025:2006

#### **INGREDIENTS AND EMISSIONS**

**Declaration of chemical** ingredients

1,000 ppm

Type of declaration

HPD® version 2.0 Health Product Declaration®

**Emission test** 

**VOCs** 

1.6 g/L - 30.0 g/L

Variable depending on the product used (Factory-applied paint and adhesives)

**Formaldehyde** 

HDF Panel < 0.13 ppm

HDF Panel

**Others** 

Conformity CARB 93120 (Phase 2)

# Copyright 2016 Vertima inc. TECHNICAL PERFORMANCES

Performance tests

Expected life

# MANUFACTURER'S **ENVIRONMENTAL MANAGEMENT**

ISO 14001 Certification

**Extended Producer Responsibility** 

(Take Back Program)

**Corporate Sustainability Report** 

(CSR: GRI, ISO 26000, BNQ 21000 or other)

# **CERTIFICATIONS AND** CONFORMITY

Since the creation of our company in 1967, we never stopped innovating, growing and adapting ourselves to the needs and expectations of our customers. They have always been at the heart of our operations.

100, avenue industrielle, Saint-Boniface, QC G0X 2L0 CANADA www.portesmilette.com

MasterFormat®: 08 14 76 Validated Eco-Declaration:

VED16-1028-01

Original issue date: 10/2013 Period of validity: 07/2017 to 07/2018



# FRENCH DOORS



#### Model:

Classic / Colonial Moulding (Ovolo)

#### Standard measurements:

Thickness: 1 3/8" (35 mm) Widths: 16" to 36" (406 to 914mm)

Heights: 80" (2 032mm) Bifold: 79" (2 007mm)

Several types of glass and wood species available



Contemporary / Square moulding (Shaker)

#### Standard measurements:

Thickness: 1 3/8" (35mm)

Widths: 16" to 36" (406 to 914mm)

Heights: 80" (2 032mm) Bifold: 79" (2 007mm)

Several types of glass and wood species available

# **ATTRIBUTES**

#### RECYCLED CONTENT

Components (with recycled content)	Weight ratio	Pre-consumer	Post-consumer
HDF	10.5% - 14.3%*	43.9%	0%
Flat glass	22.4% - 32.2%*	2.0%	0%

\*The pourcentage of recycled content were calculated according to the weigh ratio of each of the components used in manufacturing the final product.

	Final products assembly	Weight ratio	Pre-consumer	Post-consumer
	305H	100%	6.5%	0%
	305HP - Bifold	100%	6.6%	0%
	1000 - With glass	100%	6.1%	0%
Colonial	1000P - With glass / Bifold	100%	5.7%	0%
Moulding	1100P - Aluminium grill	100%	5.8%	0%
(Ovolo)	1150 - Aluminium grill / Bifold	100%	5.5%	0%
(0.0.0)	3050	100%	5.4%	0%
	3050P - Bifold	100%	5.6%	0%
	3100P - Bifold	100%	5,1 %	0%
	3150	100%	5.2%	0%
	804H	100%	6.6%	0%
Square	804HP - Bifold	100%	6.7%	0%
Moulding	805H	100%	6.5%	0%
(Shaker)	805HP - Bifold	100%	6.6%	0%
(Gridicer)	6000	100%	5.4%	0%
	6000HP - Bifold	100%	5.6%	0%

Validated Eco-Declaration - Recycled Content

Methodology: on-site audit, supply chain evaluation, analysis and validation of the sourcing of raw materials data according to the weight ratio of each of the components used in manufacturing the final product.

Vertima's procedure: VERT-032008-01, Second Edition.

#### **SOURCING OF RAW MATERIALS**

Weight ratio	Final manufacturing location
100%	Saint-Boniface, QC G0X 2L0 CANADA

Validated Eco-Declaration – Sourcing of raw materials

Methodology: on-site audit, supply chain evaluation, analysis and validation of the sourcing of raw materials data according to the weight ratio of each of the components used in manufacturing the final product. Vertima's procedure: VERT-032008-02, Second Edition.

Components	Weight ratio	Extraction locations	Transport
Easter white pine	51.4% - 58.9%	United State (Maine, Massachusetts)	Truck
Decorative glass (with grill)	27.9% - 30.8%	China	N/A
or Flat glass	22.4% - 32.2%	United State (Michigan) and China	Truck
HDF	10.5% - 14.3%	Canada (QC, NB, NS) and United State (Maine)	Truck
Adhesives (PVAc)	1.8% - 7.1%	N/A	N/A
White primer	1.6% - 2.2%	N/A	N/A

<sup>\*</sup>All components weight ratio varies depending on the door model.

The extraction locations of raw materials have been documented for 91.5% to 96.5% of the final product components, based on weight ratio.



FRENCH DOORS



# **ATTRIBUTES (CONTINUED)**

# **SOURCING OF RAW MATERIALS (CONTINUED)**



HARVEST LOCATIONS OF WOOD (Pine): (Details available on request)
 United States: Maine and Massachusetts (Transport by truck to Milette Doors' factory)

#### 2. EXTRACTION LOCATIONS OF FLAT GLASS:

**United States:** Michigan **China:** (Not shown on map)

#### 3. ORIGIN OF DECORATIVE GLASS:

China: (Not shown on map)

# 4. HARVEST LOCATIONS OF WOOD FIBERS (HDF):

New Brunswick, CA (within 249 miles (402 km) around St-Stephen

Canada: Quebec, New Brunswick, Nova Scotia

**United States:** Maine (Transport by truck to Milette Doors' factory)



FRENCH DOORS



# **INGREDIENTS AND EMISSIONS**

#### **DECLARATION OF CHEMICAL INGREDIENTS**



Type of declaration: Health Product Declaration® (HPD®) version 2.0

Period of validity: June 9, 2016 to June 9, 2019

Summary of product contents and results from screening individual chemical substances against HPD Priority Lists<sup>1</sup> and the GreenScreen for Safer Chemicals<sup>®,2</sup>.

Health Product Declaration® URL: http://www.hpd-collaborative.org/hpd-public-repository/

The Health Product Declaration® and logo is owned by the Health Product Declaration® Collaborative and is used with permission.					
<b>Declaration:</b> Prepared by Vertima ■ Self-declared □ Third party					
Ingredients inventory threshold: 1,000 ppm					
Full disclosure of intentional in	gredients: Yes				
Full disclosure of known hazard					
Hazards associated with the pro	oduct ingredients:				
associated with actual use of the product. It does not	This HPD Standard describes a declaration of product content and direct health hazards associated with exposure to its individual contents. The Declaration is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.				
Highest concern GreenScreen® Benchm	nark: Benchmark 1 <sup>3</sup>				
PBT (Persitent, Bioaccumulative, Toxic)	Respiratory	☐ Physical hazard			
Cancer	☐ Neurotoxicity	☐ Global warming			
■ Gene Mutation	Mammal	Ozone depletion			
Development	Skin or eye	■ Multiple			
☐ Reproductive	Aquatic toxicity	Unknown			
■ Endocrine	Land toxicity				

Please refer to Annex D of HPD® Open Standard Version 2.0, September 10th 2015. http://www.hpd-collaborative.org

<sup>2</sup>GreenScreen for Safer Chemicals® method: http://www.greenscreenchemicals.org/

<sup>3</sup>GreenScreen (GS) Benchmark scores of chemical ingredients: Benchmark 1 (Avoid, chemical of high concern), Benchmark 2 (Use but search for safer substitutes), Benchmark 3 (Use but still opportunity for improvement), Benchmark 4 (Prefer, safer chemical).

#### **TABLE OF INGREDIENTS**

Name	Role	CAS <sup>1</sup>	Weight ratio	GreenScreen®,2	Note(s) (For more details refer to the HPD®)
Eastern white pine	Frame	-	51.4% - 58.9%	-	-
Decorative glass (with grill)	Opening (alternative material 1)	60676-86-0 9011-19-2	27.9% - 30.8%	LT-UNK	-
Flat glass	Opening (alternative material 2)	60676-86-0	22.4% - 32.2%	LT-UNK	-
HDF	Frame	64742-61-6 50-00-0	10.5% - 14.3%	LT-1	LT- UNK scores also present
Adhesives (PVAc)	Assembly	9003-20-7	1.8% - 7.1%	LT-UNK	-
White primer	Finishing	13463-67-7	1.6% - 2.2%	LT-1	LT-P1, LT-UNK and BM-4 scores also present

<sup>1</sup>Only the CAS numbers with the score of highest concern are listed. The complete list of substances can be found in the HPD®.

<sup>2</sup>GS List Translator (LT) scores of chemical ingredients: LT-1, likely GS Benchmark 1; LT-P1, possible GS Benchmark 1; LT-U or LT-UNK, present on GS Specified Lists but there is insufficient information to classify the hazards as LT-1 or LT-P1 (does not mean the chemical is safe).

Validated Eco-Declaration – Declaration of chemical ingredients

Methodology: validation of the documentation confirming the methodology and reporting of chemical ingredients.

Vertima's procedure: VERT-032009-01, Second Edition.



FRENCH DOORS



# **INGREDIENTS AND EMISSIONS (CONTINUED)**

#### **VOLATILE ORGANIC COMPOUNDS (VOCs)**

The paint and all adhesives are applied during the manufacturing of French Doors. In the category of products presented below, the value refers to the VOC content of paint and adhesives in their liquid state.

Adhesives			
Manufacturer	Туре	Product name	VOC content
Dural Division Multibond inc.	Adhesive	G-2408	3.0 g/L
Dural Division Multibond inc.	Adhesive	G-2424	1.6 g/L
Dural Division Multibond inc.	Adhesive	G-2449	1.9 g/L

Paints			
Manufacturer	Туре	Product name	VOC content
Akzo Nobel	Water-based primer	White Aquaprime 650-0006	30.0 g/L

Validated Eco-Declaration – Emissions and Volatile Organic Compounds (VOCs) Methodology: validation of documents attesting VOCs emissions. Vertima's procedure: VERT-032009-02, Second Edition.

#### **FORMALDEHYDE**

Product components	Compliance	Formaldehyde content
HDF	CARB phase 2	< 0.13 ppm

Validated Eco-Declaration—Emissions and formaldehyde
Methodology: validation of the documents attesting the methodology and results of emissions general evaluation and formaldehyde.
Vertima's procedure: VERT-032009-02, Second Edition.

# **TECHNICAL PERFORMANCES**

#### **WARRANTY**

Our doors requires particular attention and specific care. All doors are constructed with a finger-jointed pine core and a layer of superior quality veneer for more strength and durability. Wood is a natural product, and your door could be subject to contraction and expansion when exposed to varying temperature and humidity fluctuations. For these reasons, our warranty is conditional with the procedures described in: http://www.portesmilette.com/Content/Documents/en/Guides/Warranty.pdf

# MANUFACTURER'S ENVIRONMENTAL MANAGEMENT PROGRAM

#### MANUFACTURER'S COMMITMENT

Always in order to meet the expectations of their clients, who are at the heart of each of their actions and decisions, Milette Doors pays particular attention to the choice of their suppliers. Milette Doors takes time to validate whether their values and goals match those of Milette Doors. Thus, they ensure that the wood used for each door they make comes from renewable resources.

Milette Doors bets on the reuse of materials and products to eliminate their need for fossil energy for production, to make carbon neutral emissions of greenhouse gases. Milette Doors also contributes to the reduction of raw materials and waste through the recovery of plastic packaging waste, wood and glass particles, treatment and processing of waste solvents as well as the maximum use and recycling Of paper from entirely recycled fibers.



FRENCH DOORS



# PRODUCT CONTRIBUTION SUMMARY

# LEED® v4 requirements for Building Design + Construction (BD+C)

New Construction, Core and Shell, School, Retail, Data Centers, Warehouse and Distribution Centers, Hospitality and Healthcare.

# LEED® v4 requirements for Interior Design + Construction (ID+C)

Number of points is dependent on the LEED rating system and the number of

Commercial Interiors, Retail and Hospitality.

MATERIALS AND RESOURCES		PRO	DUCT CONTRIBUTIONS
Building Product Disclosure and Optimization  - Sourcing of Raw Materials			ATTRIBUTES
MR	Option 2: Leadership extraction practices (1 point) May also contribute to the location valuation factor if the product is extracted, manufactured and purchased within 160 km of the project site.	Contribute	Recycled Content Pre-consumer (5.1% - 6.7%)
	Building Product Disclosure and Optimization		INGREDIENTS AND EMISSIONS
MR	<ul> <li>Material Ingredients</li> <li>Option 1: Material ingredients reporting (1 point)</li> <li>French Doors contribute to this credit due to the availibility of Health Product</li> <li>Declarations® and are valued as 1 whole product out of the 20 needed for the purposes of credit achievement calculation.</li> </ul>	Contribute	HPD® version 2.0 Health Product Declaration®
INDOOR ENVIRONMENTAL QUALITY		PRO	DUCT CONTRIBUTIONS
OEI	Low-Emitting Materials		INGREDIENTS AND EMISSIONS
QEI Option 1: Product category calculation (1 - 3 points)	Do not contribute <sup>1</sup>	<sup>1</sup> Must be tested and determined compliant to the	

# LEED® v4 requirements for homes

compliant categories.

Applies to single family homes, multi-family (one to three stories), or multi-family (four to six stories). Includes homes and multifamily low-rise and multi-family mid-rise.

MATERIALS AND RESOURCES		PRODUCT CONTRIBUTIONS	
MR			ATTRIBUTES
Prereq 1	Certified Tropical Wood	Contribute	Milette Doors' French doors do not contain tropical species.
	<b>Environmentally Preferable Products</b>		ATTRIBUTES
MR crédit 2	Option 1: Local Production (0.5 point) May also contribute to 0.5 point to the location valuation factor if the product is sourced (extracted, manufactured, purchased) within 160 km of the project site.  Option 2: Environmentally Preferable Products (0.5 point)  French Doors do not contributes to 0.5 point. The final product must contains at least 25% post-consumer recycled content or 50% pre-consumer recycled content.	Do not contribute <sup>2</sup>	Recycled Content Pre-consumer (5.1% - 6.7%)

# INDOOR ENVIRONMENTAL QUALITY PRODUCT CONTRIBUTIONS INGREDIENTS AND EMISSIONS OEI

Credit 7 At least 90% of all materials in each category must meet credit requirements (0.5 - 3 points)

Do not contribute<sup>3</sup>

<sup>3</sup>Must be tested and determined compliant to the California Department of Public Health (CDPH) Standard Method v1.1-2010.

California Department of Public Health (CDPH)

Standard Method v1.1-2010.

It is important to consider that the total amount of possible points reflects the number of achievable points in each credit category. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in order to achieve LEED® credits.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, in all or in part, caused by errors and omissions relative to the data collection, compilation and/or interpretation. The analysis protocol used by Vertima is available on request.

Validated Eco-Declaration:

VED16-1028-01

Period of validity:

07/2017 to 07/2018